



Little Egg Harbor Township New Jersey


New Jersey Pollution Discharge Elimination System Municipal Stormwater Regulation Program

MS4 Outfall Pipe Mapping (April 2007)




NOTES:

1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level, National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps.
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-N/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state-authorized.
 - o NJDOT (NJ_ROADWAY_NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data



Insert A




NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state-authorized.
 - o NJDOT (NJ_ROADWAY_NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:

1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state-authorized.
 - o NJDOT (NJ_ROADWAY_NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data






Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet









NOTES:

1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state-authorized.
 - o NJDOT (NJ_ROADWAY_NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data

Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level.
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data



Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NI/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data



Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NI/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NI/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data



Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data



Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NI/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level.
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NI/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet







- NOTES:**
- This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level. National Standard for Spatial Data Accuracy (NSSDA).
 - The location of Storm Drain Outfalls were originally placed by:
 - Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.) official tax maps
 - New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
 - The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
 - As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NI/SE1".
 - Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
 - Additional Data Set Credit:
 - NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - NJDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet






NOTES:


- This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level, National Standard for Spatial Data Accuracy (NSSDA).
- The location of Storm Drain Outfalls were originally placed by:
 - Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
- The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
- As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NI/SE1".
- Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
- Additional Data Set Credit:
 - NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet







- NOTES:**
- This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level.
 - The location of Storm Drain Outfalls were originally placed by:
 - Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.) official tax maps
 - New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
 - The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
 - As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
 - Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
 - Additional Data Set Credit:
 - NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data

Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number

1 inch equals 400 feet






NOTES:


1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level, National Standard for Spatial Data Accuracy (NSDA).
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.) official tax maps
 - New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NT/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data


Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number



1 inch equals 400 feet





NOTES:

1. This plan set is based on Digital color infrared (CIR) orthophotography of New Jersey in State Plane NAD83 Coordinates, U.S. Survey Feet and produced at a scale of 1:2400 (1"=200') with a 1 foot pixel resolution and provided by State of New Jersey, Office of Information Technology. Aerial photography of the entire State of New Jersey was captured during February-April, 2002. The ortho-rectification process achieved a +/-4.0 ft. horizontal accuracy at a 95% confidence level.
2. The location of Storm Drain Outfalls were originally placed by:
 - o Manual placement based on scaling distances from the following plan set:
 - STORM DRAIN PLAN, TOWNSHIP OF LITTLE EGG HARBOR, OCEAN COUNTY, NEW JERSEY by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95.
 - o The location of Storm Drain Outfalls from the Birdsall plans were then adjusted by:
 - Manual placement based on the location of storm drain easements as found on the Little Egg Harbor Township (L.E.H.T.) official tax maps
 - o New Storm Drain Outfalls not found on the Birdsall plans were located via:
 - Sub-meter DGPS coordinates collected with a Thales (now Magellan) MobileMapper CE GPS unit where #SVs > 5 and PDOP < 4.
3. The storm outfall information indicated hereon is not intended to be used as the basis for the preparation of construction plans. All facts concerning the location of any utilities shown hereon should be verified prior to any construction.
4. As per the original plan set by Birdsall Engineering, Inc. having a map scale of 1" = 400' and dated 10/20/95, all receiving waters are classified as "FW-2-NI/SE1".
5. Unless indicated otherwise, all storm drain features shown are owned and operated by L.E.H.T.
6. Additional Data Set Credit:
 - o NJDEP (Municipal Boundaries, Hydrographic Features) - This map was developed using New Jersey Department of Environmental Protection Geographic Information System digital data, but this secondary product has not been verified by NJDEP and is not state authorized.
 - o NIDOT (NJ ROADWAY NETWORK) - New Jersey Department of Transportation, Bureau of Transportation Data



Legend :

- Municipal Storm Discharge & Outfall Number
- Private Storm Discharge & Outfall Number

